


## Car CD 6½" Automotive



Type Number: 850518

### Features:



### Specs:

#### Electrical Data

Nominal impedance	Zn	4	ohm
Minimum impedance	Zmin	3.8	ohm
Maximum impedance	Zo	23.4	ohm
DC resistance	Re	3.5	ohm
Voice coil inductance	Le	0.8	mH
Capacitor in series with x ohm	Cc	27	uF

#### T-S Parameters

Resonance Frequency	fs	52.4	Hz
Mechanical Q factor	Qms	3.07	
Electrical Q factor	Qes	0.54	
Total Q factor	Qts	0.46	
Force factor	Bl	6.2	Tm
Mechanical resistance	Rms	1.92	Kg/s
Moving mass	Mms	17.9	g
Suspension compliance	Cms	0.52	mm/N
Effective cone diameter	D	13.5	cm
Effective piston area	Sd	143	cm <sup>2</sup>
Equivalent volume	Vas	14.5	ltrs
Sensitivity (2.83V/1m)		--	dB
Ratio BL/√(Re)		--	
Ratio fs/Qts	F	--	

#### Power handling

100h RMS noise test (IEC)	--	W
Long-term Max Power (IEC 18.3)	150	W
Max linear SPL (rms) @ power	--	dB/W
Short Term Max power (IEC 18.2)	--	W


#### Voice Coil and Magnet Parameters

Voice coil diameter	33	mm
Voice coil height	16	mm
Voice coil layers	2	
Height of the gap	6	mm
Linear excursion +/-	--	mm
Max mech. excursion +/-	--	mm
Flux density of gap	1.08	mWb
Total useful flux	0.94	mWb
Diameter of magnet	102	mm
Height of magnet	16	mm
Weight of magnet	0.54	Kg

#### Notes:

IEC specs refer to IEC 60268-5 third edition.  
All Tympany products are RoHS compliant.

Frequency: 850518



Mechanical Dimensions:850518

