



NOTE:

1. ALL CAPACITORS ARE IN μF UNLESS OTHERWISE NOTED
ALL CAPACITORS ARE 50V UNLESS OTHERWISE NOTED
2. CAPACITOR NOT SPECIFICALLY DESIGNATED ARE CERAMIC CAPACITORS
 - a) ELECTROLYTIC CAPACITOR
 - b) B1-POLAR ELECTROLYTIC CAPACITOR
 - c) TANTALUM CAPACITOR
 - d) METALLIZED POLYESTER
 - e) POLYESTER FILM CAPACITOR
 - f) POLYPROPYLENE CAPACITOR
 - g) MYLAR CAPACITOR
3. ALL RESISTORS ARE IN OHM 1/16 WATT UNLESS OTHERWISE NOTED
4. RESISTOR NOT SPECIFICALLY DESIGNATED ARE CARBON FILM RESISTORS
 - a) NONFLAMMABLE RESISTOR
 - b) FUSEBLE RESISTOR
 - c) CEMENT RESISTOR
 - d) METAL OXIDE RESISTOR
 - e) THERMISTOR
5. DC VOLTAGE ARE MEASURED FROM POINTS INDICATED TO THE CIRCUIT GROUND WITH A DIGITAL MULTIMETER TEST
6. WAVEFORMS ARE TAKEN WITH SETTING CONTROLS TO A NORMAL CONDITIONS (COLOR BAR PATTERN)
7. THIS CIRCUIT DIAGRAM IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

ROYAL TV-5106





